NDCEE

National Defense Center for Environmental Excellence





DoD Executive Agent

Office of the **Assistant Secretary** of the Army (Installations and **Environment**)

Ultraviolet (UV) Curable Coatings for Bullet Tip Identification Joint Services Environmental Management Training Conference and Exposition May 6, 2008

Mr. Kevin Merichko, NDCEE/CTC

The NDCEE is operated by: CTC Concurrent Technologies Corporation



including suggestions for reducing VA 22202-4302. Respondents shot does not display a currently valid C	this burden, to Washington Headquald be aware that notwithstanding a	uarters Services, Directorate for In		s, 1215 Jefferson Davis	Highway, Suite 1204, Arlington	
1. REPORT DATE 06 MAY 2008	2 DEPORT TYPE			3. DATES COVERED 00-00-2008 to 00-00-2008		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Ultraviolet (UV) Curable Coatings for Bullet Tip Identifie			ication	5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) National Defense Center for Energy and Environment (NDCEE),Concurrent Technologies Corporation,100 CTC Drive,Johnstown,PA,15904				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/M NUMBER(S)	IONITOR'S REPORT	
12. DISTRIBUTION/AVAIL Approved for public		ion unlimited				
13. SUPPLEMENTARY NO	TES					
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON		
a. REPORT	b. ABSTRACT	c. THIS PAGE	Same as	11	RESI ONSIDLE I ERSON	

unclassified

Report (SAR)

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and resisting and expendence of information. Sand comments recording this hydron estimate or any other expect of this collection of information.

Report Documentation Page

unclassified

unclassified

Form Approved OMB No. 0704-0188


Background


- The Sustainable Painting Operations for the Total Army (SPOTA) Program was initiated in anticipation of impending National Emission Standards for Hazardous Air Pollutants (NESHAP) regulations such as the Defense Land Systems and Miscellaneous Equipment (DLSME).
- Although munitions coatings will likely be exempted from the DLSME NESHAP, environmental stewardship in this arena can be beneficial.
- Past Case Mouth Waterproofing (CMWP) efforts to reduce Hazardous Air Pollutants (HAPs) resulted in higher reject rates in production.
- Combining bullet tip identification (ID) with the CMWP process can reduce handling and production time, thus reducing the risk of damage during processing while increasing throughput.

Approach


- Coordinate with Armaments Research, Development and Engineering Center (ARDEC), Program Manager – Maneuver Ammunition Systems (PM-MAS), and Lake City Army Ammunition Plant (LCAAP) operating contractor to incorporate bullet tip ID efforts into the existing external CMWP development
- Identify ultraviolet (UV) curable coatings as candidate alternative material
- Develop test plan to document evaluation criteria based on relevant drawings, specifications, and processing data
- Execute test plan to determine spray feasibility of UV coatings in this capacity

Application Elements










The Team used a spray shield to control the application of UV curable coatings on 7.62mm bullet tips. As bullets passed by the application point, a spray nozzle was activated, allowing the bullets to be coated as they rolled on the rotary table.

UV Coating Application



Successes and Benefits

- Established proof of concept of UV curable Tip ID coatings
 - UV coatings are HAP-free
 - Dry time is reduced from minutes to seconds
 - A process step is eliminated if coupled with CMWP
 - ➤ No queuing required
 - Less material handling
 - Less potential damage to CMWP
 - ➤ Smaller footprint
 - Color changes are faster versus dip application of baseline material
 - Process flow is increased, helping LCAAP meet DoD ammunition production needs
- Identified multiple potential vendors of UV curable tip ID coatings
 - Competition will exist in procurement process
 - Potential market changes will not affect availability

Accomplishments

- Spray applied UV curable coatings to 7.62mm bullets using same material handling equipment projected for use in external CMWP application to establish proof of concept:
 - No significant reformulation efforts; materials used were suppliers' first offerings
 - Performed laboratory evaluations of 6 coatings to compare with baseline material
 - Subjected coated bullets to rough handling in LCAAP process equipment
 - Identified 2 coatings that performed well through all testing minor reformulations could increase the number of potential alternatives.

Conclusions

- Tip-ID of 7.62mm bullets is achievable with the use of UV curable coatings using the same material handling equipment projected for use in external CMWP application.
- Spray application alone is not efficient. Recycle system with spray application or alternative application system could increase benefit to LCAAP.

Path Forward

- Evaluate efficient application processes
- Validate spectrum of colors to produce all small caliber products
- Complete integration into CMWP process
- Implement into production

Project Stakeholders

- Program Manager Maneuver Ammunition Systems (PM-MAS)
- Armaments Research, Development and Engineering Center (ARDEC)
- Lake City Army Ammunition Plant (LCAAP)
- Alliant TechSystems (ATK)

Contact Information

NDCEE Technical Monitor

Task: 0446 – FY06 Sustainable Painting Operations for the

Total Army (SPOTA)

Name: Ms. Maryalice Miller

Organization: RDECOM

E-Mail: Maryalice.Miller@us.army.mil

Phone Number: (410) 436-3564

NDCEE Project Manager

Name: Mr. Kevin Merichko

Organization: NDCEE/CTC

E-Mail: merichko@ctc.com

Phone Number: (814) 269-2530

www.ndcee.ctc.com

This work was funded through the Office of the Assistant Secretary of the Army (Installations and Environment) and conducted under contract W74V8H-04-D-0005 Task 0446.

The views, opinions, and/or findings contained in this paper are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision unless so designated by other official documentation.